

Section 1 – Product and Company Identification

- 1.1 GHS Product Identifier** : 1-Butyne
Other means of identification : Ethyl Acetylene
Product Number : 315179
Chemical Formula : C₄H₆
CAS Number : 107-00-6
EC Number : 203-451-3
- 1.2 Recommended use** : Laboratory chemicals, Manufacture of substances
- 1.3 Supplier's detail** : Wiley Companies
1245 South 6th Street
Coshocton, Ohio 43812.
(740) 622-0755.
- 1.4 Emergency Telephone number** : (800) 633-8253.
International number : (801) 629-0667.

Section 2 – Hazards Identification

- 2.1 GHS Classification of the substance or mixture**
GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)
Flammable gases (Category 1), H220
Gases under pressure (Liquefied gas), H280

- 2.2 GHS Label elements, including precautionary statements**

Pictogram

**Signal word****Danger**

Hazard statement(s)

H220

Extremely flammable gas.

H280

Contains gas under pressure; may explode if heated.

Precautionary statement(s)

P210

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P377

Leaking gas fire: Do not extinguish unless leak can be stopped safely.

P381 Eliminate all ignition sources if safe to do so.
P410 + P403 Protect from sunlight. Store in a well-ventilated place.

2.3 Hazards not otherwise classified or not covered by GHS

Incompatible with copper and silver.
Formation of unstable peroxides on exposure to air.

Section 3 - Composition / Information on Ingredients**Substance/Mixture**

Chemical name : 1-Butyne
Synonyms : Ethylacetylene
Chemical Formula : C₄H₆
CAS Number : 107-00-6
EC Number : 203-451-3

Hazardous components

Component	Classification	Concentration
1-Butyne	Flammable gases (Category 1) Gases under pressure (Liquefied Gas)	>98%

Section 4 - First Aid Measures**4.1 Description of necessary first aid measures****If inhaled**

Remove person to fresh air. Consult a physician if necessary.
If breathing is stopped, administer artificial respiration if trained to do so.

In case of skin contact

Flush with copious amounts of water for at least 15 minutes. Consult a physician if necessary.

In case of eye contact

Flush with copious amounts of water for at least 15 minutes. Consult a physician if necessary.

If ingested

Rinse mouth out with water. Never give liquid to an unconscious person. Consult a physician if necessary.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labeling section 2.2.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

No data available.

Section 5 – Fire Fighting Measure**5.1 Extinguishing media****Suitable extinguishing media**

Water spray

Alcohol resistant foam

Carbon dioxide

Dry chemical

Unsuitable extinguishing media

None

5.2 Specific hazards arising from the chemical

Carbon oxides

5.3 Special protective equipment for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH for firefighters (approved or equivalent) and full protective gear.

5.4 Special precautions for fire fighters

Containers may explode when heated. Vapours can accumulate in low areas. Evacuate all personnel from the danger area. Remove ignition sources if safe to do so. Vapors can be ignited by pilot lights, other flames, smoking, sparks, heaters, electrical equipment, static discharge, or other ignition sources at locations distant from product release point. Cool vessels and containers with sprayed water.

Section 6 – Accidental Release Measures**6.1 Personal precautions, protective equipment and emergency procedures.**

Use personal protective equipment. Wear self-contained breathing apparatus when entering area unless atmosphere is proven to be safe. Avoid breathing vapours, mist or gas. Prevent further leakage or spillage if safe to do so. Ensure adequate ventilation, especially in confined areas. Remove all sources of ignition. Evacuate personnel to safe areas. Prevent contamination of soil, drains and surface water. Take up residue with absorbent material and dispose of in accordance with all local, state and federal regulations.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and materials for containment and cleaning up

Utilize non-sparking tools. For large spills, dike far ahead of liquid spill for later disposal. Collect with an electrically protected vacuum cleaner

Section 7 – Handling and Storage
7.1 Precautions for safe handling

Wear all appropriate personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid vapour inhalation. Do not eat, drink or smoke when using this product. Ensure good ventilation and local exhaust extraction in work place. Keep away from source of ignition. Use only non-sparking tools. Use only explosion-proof equipment. Take measures to prevent buildup of electrostatic charge. Keep containers tightly closed when not in use

7.2 Conditions for safe storage, including any incompatibilities

Store material in D.O.T. approved containers. Follow all applicable local, state, and federal regulations. Store in a cool, dry, well-ventilated place, in securely closed original container. Add stabilizer to prevent peroxide formation.

Section 8 – Exposure Controls / Personal Protection
8.1 Control parameters
Occupational exposure limits

Contains no substances with occupational exposure limit values.

Ingredient name	Exposure limits
1-Butyne	No data available.

8.2 Appropriate engineering controls

Engineering Controls:

Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area. Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs.

8.3 Individual protection measures

Administrative Controls:

Handle in accordance with good industrial hygiene and safety practice. When workplace conditions warrant respirator use, follow a respiratory protection program that meets OSHA 29 CFR 1910.134, ANSI Z88.2, or MSHA 30 CFR 72.710 (where applicable). Use an air-supplied or air-purifying cartridge if the action level is exceeded. Ensure that the respirator has the appropriate protection factor for the exposure level. If cartridge type respirators are used, the cartridge must be appropriate for the chemical exposure (e.g., an organic vapor cartridge). For emergencies or instances with unknown exposure levels, use a self-contained breathing apparatus (SCBA).

Wear protective eyeglasses or chemical safety goggles, per OSHA eye and face protection regulations (29 CFR 1910.133). Wear chemically protective gloves. Wear a chemically protective suit. Wear flame retardant protective clothing. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Section 9 – Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance	: Liquefied gas.
Odour	: Acetylenic odour.
Odour Threshold	: No data available.
pH	: No data available.
Melting point/freezing point	: -125.7 °C (-194.3 °F)
Initial boiling point and boiling point range	: 8.08 °C (46.54 °F)
Flash point	: -61.1 °C (-78 °F)
Evaporation rate	: No data available.
Flammability (solid, gas)	: No data available.
Upper/lower flammability or explosive limits	: Upper explosion limit: 80% (V) Lower explosion limit: 2.5% (V)
Vapour pressure	: 23.2 psia at 21.1 °C
Vapour density	: 1.87 – (Air = 1.0)
Relative density	: 0.6783 g cm ⁻³
Water solubility	: ~10%
Partition coefficient: n-octanol/water	: No data available.

Auto-ignition Temperature : No data available.

Decomposition Temperature : No data available.

Viscosity : No data available.

Molecular weight : 54.09 g/mol

Section 10 – Stability and Reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

This material is stable at room temperature in closed containers under normal storage and handling conditions.

Avoid exposure to air any longer than necessary so as to prevent peroxide formation.

10.3 Possibility of hazardous reactions

Vapours may form explosive mixture in air.

10.4 Conditions to avoid

Avoid contact with heat, flames and other sources of ignition.

Take measures to prevent buildup of electrostatic charge.

10.5 Incompatible materials

Strong oxidizing agents.

Peroxides, bases, sodium hydroxide, amines, ammonia, oxygen.

Copper alloys > 65% and silver.

10.6 Hazardous decomposition products

Thermal oxidative decomposition of this material can produce carbon monoxide and carbon dioxide.

Section 11 – Toxicological Information

11.1 Information on toxicological effects

Acute toxicity

No data available.

Skin corrosion/irritation

No data available.

Serious eye damage/eye irritation

No data available.

Respiratory or skin sensitization

No data available.

Germ cell mutagenicity

No data available.

Carcinogenicity

ARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available.

Specific target organ toxicity – single exposure

No data available.

Specific target organ toxicity – repeated exposure

No data available.

Aspiration hazard

No data available.

Information on the likely routes of exposure

Inhalation, Skin and eye contact, Ingestion

Symptoms related to the physical, chemical and toxicological characteristics

No data available.

Delayed and immediate effects and also chronic effects from short and long-term exposure

No data available.

Numeric measures of toxicity

No data available.

Section 12 – Ecological Information

12.1 Toxicity

No data available.

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Other adverse effects

No data available.

Section 13 – Disposal Considerations

13.1 Disposal Methods

Follow all applicable local, state, and federal regulations.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 14 – Transport Information

	DOT	IMDG	IATA
UN number	UN2452	UN2452	UN2452
Un proper shipping name	Ethylacetylene, stabilized	ETHYLACETYLENE, STABILIZED	Ethylacetylene, stabilized
Transport hazard class	2.1	2.1	2.1
Packing group	-	-	-
Marine pollutant	No	No	-

Section 15 – Regulatory Information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire hazard.

Section 16 – Other Information

	HMIS		NFPA
Health - Chronic			
Health Hazard	1	Health Hazard	0
Flammability	4	Fire Hazard	4
Physical	3	Reactivity	0

Prepared By:

Wiley Companies
 The EH&S Companies

Disclaimer: The information contained herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Wiley Companies makes no representations as to its accuracy and sufficiency. Conditions of use are beyond Wiley Companies control and therefore users are responsible to verify this data is accurate under their own operating conditions to determine whether the product is suitable for their particular purposes. The user assumes all risks for their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process. Wiley Companies and its employees shall not be liable for any loss or damage arising out of the use thereof.